

**Krono**  
**Original**  
High Quality  
Made by Kronospan



**FLOORS**  
**WALLS**

# WALLS AND FLOORS YOU CAN TRUST

Driven by innovation,  
built for comfort,  
delivered with style.



Wood processing has been our passion for over 125 years. It's what Kronospan knows and does best. We understand that every space needs a solid foundation to thrive on. This is the essence of KronoOriginal - a brand dedicated to delivering high-quality floor and wall solutions for everyday comfort.

An aerial photograph of a vibrant blue river with white rapids, winding through a dense, lush green forest. The river flows from the top center towards the bottom right of the frame. The surrounding forest is thick and covers the entire landscape.

**AT THE HEART OF  
OUR MISSION IS A  
COMMITMENT TO:**

**SUSTAINABLE  
PRODUCTION PRACTICES**

**NEXT-GENERATION  
WATER PROTECTION**

**TREND-SETTING  
DESIGN INNOVATIONS**

**QUICK AND INTUITIVE  
INSTALLATION SYSTEMS**

**WORLDWIDE AVAILABILITY  
FOR FAST DELIVERY**

# WATER PROTECTION AT ITS BEST

Fast-paced life requires high-performance flooring. For us, water protection comes first.

K507

Water is everywhere around us. But when it comes to your home, it shouldn't be a threat. That's why we have dedicated our efforts to developing and perfecting the protection systems of our flooring. Designed to handle life's little spills... and the big ones, too. Our water protection technologies are built for life. Because life happens, and your floor should be ready for it.

**ROCKO**  
VINYL FLOORING

**O.R.C.A.**  
WATERPROOF FLOORING

**MO.RE!**  
WATER RESISTANT FLOORING

# AUTHENTIC LOOK & FEEL OF NATURE

Our deeply rooted connection with nature inspires us to seek it everywhere around us. This never-ending quest is the driving force behind our creative process.

K665

The beauty of nature reveals itself in the distinct authenticity of its imperfections. Our passion is to capture and recreate these unique visual qualities in each of our designs, bringing warmth and comfort into every home.

Thanks to our advanced digital printing and synchronized embossing surface technologies, we are able to achieve an impressive level of realism and create floors that not only look good, but also make you feel good.

As part of our Perfect Plank technology, we've introduced a new generation of floors with no design repetition for an added level of realism.

- Herringbone with up to 120 unique planks (10 m<sup>2</sup> | 108 ft<sup>2</sup>)
- Long planks with up to 16 unique panels (8 m<sup>2</sup> | 86 ft<sup>2</sup>)
- Wide planks with up to 32 unique planks (10 m<sup>2</sup> | 108 ft<sup>2</sup>)
- Standard planks with up to 40 unique digitally printed panels (10 m<sup>2</sup> | 108 ft<sup>2</sup>)

**Look for these symbols to find the rest of our Authentic Embossed and Perfect Plank decors.**



Authentic  
Embossed

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



Perfect  
Plank

An innovative technology of digitally printed planks with low pattern repeat.

## Multi Room Concept

# ONE DESIGN. MULTIPLE FLOORING FORMATS.

The Interior is not defined by four walls alone. It's shaped by the quiet details that surround you every day. That's why we design surfaces that don't just meet functional needs, but also support the rhythm of your life. Our floors and panels are the calm backdrop to your story, connecting rooms, moods, and moments.

With our Multi Room Concept, your favourite decor becomes the foundation of your entire home. Explore the freedom of applying one design in multiple flooring formats, because no two rooms live the same life.

Choose the timeless charm of Herringbone for living areas, evoking classic elegance with a modern twist. Extend the story into open, spacious interiors with long-format planks that enhance volume and flow. For bathrooms, kitchens, or utility areas, make seamless transitions with standard planks in the same matching decor, ensuring performance and beauty without compromise.

Look for this symbol to find our  
Multi Room Concept decors.



Multi Room  
Concept

Design available in different plank formats for every space - long plank, herringbone or standard / wide plank

### O.R.C.A.

WATERPROOF FLOORING

- Herringbone, Wide Plank and Long Plank

### MO.RE!

WATER RESISTANT FLOORING

- Herringbone, Standard Plank and Long Plank




K847 Blonde Montanara Oak, MR



K847 Blonde Montanara Oak, MR



K847 Blonde Montanara Oak, MR



## Multi Room Concept

# EVERY SPACE BECOMES YOU



K843 Natural Darcy Oak, DY



Design freedom starts here - mix & match effortlessly  
Standard / Wide, Long and Herringbone planks for a unified  
and elegant spatial layout.

# OUR PERFECTPADS



**Built-in pad for comfort,  
sound insulation, and easy installation**


## PerfectPad® IXPE

Durable, quiet, waterproof

---



R244



## PerfectPad® ECO

Sustainable, eco-friendly

---



K489



K453

## PerfectPad® CORK

Natural warmth, sound-absorbing

---



<b>KEY VALUES</b>	02
<b>FLOORING</b>	18
PRODUCT & DECOR OVERVIEW	20

<b>ROCKO VINYL FLOORING</b>	24
LONG PLANK SILENT	30
HERRINGBONE SILENT	34
WIDE PLANK SILENT	38
STANDARD PLANK SILENT	44
<b>O.R.C.A. WATERPROOF FLOORING</b>	48
DURASTAR SILENT CORK	54
FLEX SILENT CORK	66
CLASSIC SILENT ECO/CORK	76
CLASSIC	82
COMFORT SILENT CORK	88
CLEVER SILENT ECO	92

<b>MO.RE! WATER RESISTANT FLOORING</b>	96
REAL WOOD	98
LONG PLANK 12	102
ATLANTIC 12	106
ATLANTIC 10	110
HERRINGBONE 8	116
LONG PLANK 8	122
ATLANTIC 8	126
ATLANTIC 7	138
<b>LAMINATE FLOORING</b>	144
SUPER NATURAL 8	146




<b>WALL PANELS</b>	152
ACOUSTIC PANLES	154
3D WALL PANELS	158
WALL & CEILING PANELS	162
<b>ACCESSORIES</b>	168
<b>PACKAGING INFORMATION</b>	174
<b>FEATURES</b>	176



**ROCKO**  
VINYL FLOORING



**O.R.C.A.**  
WATERPROOF FLOORING



**MO.RE!**  
WATER RESISTANT FLOORING



**LAMINATE**  
FLOORING



**WALL**  
PANELS



# FLOORS

K847 Blonde Montanara Oak, MR



# Product Overview

	Collection	Water Protection (Coreboard)	Thickness/Pad	Durability	Warranty*3	Microscratch	Petproof	PerfectPad®	Perfect Plank	Multi Room Concept	Bevel	Authentic Embossed	SKU	
ROCKO VINYL FLOORING	<b>LONG PLANK SILENT</b> 1850 x 295 mm   72.83" x 11.61"		<b>6 mm</b> incl. 1 mm PerfectPad® IXPE		30 years	✓	✓	✓	✓		✓	✓	4	
	<b>HERRINGBONE SILENT</b> 635 x 127 mm   25.00" x 5.00"		<b>6 mm</b> incl. 1 mm PerfectPad® IXPE		30 years	✓	✓	✓	✓		Micro Bevel	✓	6	
	<b>WIDE PLANK SILENT</b> 1210 x 234 mm   47.64" x 9.21"		<b>6 mm</b> incl. 1 mm PerfectPad® IXPE		30 years	✓	✓	✓	✓ <sup>4</sup>			✓	✓ <sup>4</sup>	12
	<b>STANDARD PLANK SILENT</b> 1210 x 192 mm   47.64" x 7.56"		<b>6 mm</b> incl. 1 mm PerfectPad® IXPE		30 years	✓	✓	✓	✓ <sup>4</sup>			✓	✓ <sup>4</sup>	8
O.R.C.A. WATERPROOF FLOORING	<b>DURASTAR SILENT CORK</b> 630 x 126 mm   24.80" x 4.96" 1288 x 245 mm   50.71" x 9.65" 2003 x 245 mm   78.86" x 9.65"		<b>9 mm   13 mm</b> incl. 1 mm PerfectPad® Cork		Lifetime	✓	✓	✓	✓ <sup>4</sup>	✓ <sup>4</sup>	✓	✓	16	
	<b>FLEX SILENT CORK</b> 638 x 322 mm   25.12" x 12.68" 1288 x 189 mm   50.71" x 7.44"		<b>7 mm</b> incl. 1 mm PerfectPad® Cork		30 years	✓	✓	✓				✓		11
	<b>CLASSIC SILENT ECO / CORK</b> 1286 x 192 mm   50.63" x 7.56" ECO 1288 x 195 mm   50.71" x 7.68" ECO 1383 x 159 mm   54.45" x 6.26" Cork		<b>8.5 mm   9 mm</b> incl. 1 mm PerfectPad® ECO incl. 1 mm PerfectPad® Cork		30 years	✓	✓	✓	✓ <sup>4</sup>			✓ Pressed Bevel Soft Bevel	✓ <sup>4</sup>	12
	<b>CLASSIC</b> 638 x 330 mm   25.12" x 12.99" 1288 x 195 mm   50.71" x 7.68"		<b>8 mm</b>		30 years	✓	✓		✓ <sup>4</sup>			✓	✓ <sup>4</sup>	13
	<b>COMFORT SILENT CORK</b> 1288 x 195 mm   50.71" x 7.68"		<b>8 mm</b> incl. 1 mm PerfectPad® Cork		20 years	✓	✓	✓				✓		6
	<b>CLEVER SILENT ECO</b> 1288 x 195 mm   50.71" x 7.68"		<b>7 mm</b> incl. 1 mm PerfectPad® ECO		20 years	✓	✓	✓				✓	✓	6
REAL WOOD FLOORING MO.REI WATER RESISTANT FLOORING	<b>REAL WOOD</b> 1383 x 244 mm   54.45" x 9.61"		<b>8.5 mm</b>		20 years		✓				Soft Bevel		3	
	<b>LONG PLANK 12</b> 2003 x 245 mm   78.86" x 9.65"		<b>12 mm</b>		30 years	✓	✓		✓ <sup>4</sup>		✓	✓ <sup>4</sup>	6	
	<b>ATLANTIC 12</b> 1288 x 195 mm   50.71" x 7.68"		<b>12 mm</b>		30 years	✓	✓		✓ <sup>4</sup>		✓	✓	6	
	<b>ATLANTIC 10</b> 1288 x 195 mm   50.71" x 7.68"		<b>10 mm</b>		30 years	✓	✓		✓ <sup>4</sup>		✓	✓	14	
	<b>HERRINGBONE 8</b> 630 x 126 mm   24.80" x 4.96"		<b>8 mm</b>		20 years	✓	✓		✓ <sup>4</sup>	✓ <sup>4</sup>	✓	✓ <sup>4</sup>	10	
	<b>LONG PLANK 8</b> 2003 x 245 mm   78.86" x 9.65"		<b>8 mm</b>		20 years		✓		✓	✓	✓	✓ <sup>4</sup>	6	
	<b>ATLANTIC 8</b> 638 x 330 mm   25.12" x 12.99" 1288 x 195 mm   50.71" x 7.68"		<b>8 mm</b>		20 years		✓		✓ <sup>4</sup>	✓ <sup>4</sup>	✓	✓ <sup>4</sup>	26	
	<b>ATLANTIC 7</b> 1288 x 245 mm   50.71" x 9.65" 1288 x 195 mm   50.71" x 7.68"		<b>7 mm</b>		20 years		✓					✓		8
LAMINATE FLOORING	<b>SUPER NATURAL 8</b> 1288 x 195 mm   50.71" x 7.68"		<b>8 mm</b>		20 years		✓				✓	✓ <sup>4</sup>	12	

# Global Range Decor Overview

Collection	Decors												
ROCKO VINYL FLOORING	LONG PLANK SILENT	R236	R241	R244	R243								
	HERRINGBONE SILENT	K804	K802	K805	K800	K803	K801						
	WIDE PLANK SILENT	R248	R245	R235	R232	R242	R066	R240	R231	R247	R233	R133	R239
	STANDARD PLANK SILENT	R078	R250	R251	R238	R237	R081	R234	R246				
O.R.C.A. WATERPROOF FLOORING	DURASTAR SILENT CORK	K844	K854	K847	K852	K853	K843	K850	K849				
	FLEX SILENT CORK	K500	K503	K506	K501	K507	K504	K502	K505	K508	K509	K510	
	CLASSIC SILENT ECO / CORK	K668	K406	K2971	K2907	K665	K230	K405	K224	K2909	5947	O980	O771
	CLASSIC	K231	K669	K406	K405	K230	K224	5947	K479	K395	K881	K035	K387
	COMFORT SILENT CORK	5953	K453	K329	K224	K489	K445						
	CLEVER SILENT ECO	K063	K452	K853	K598	K327	K489						
	REAL WOOD FLOORING	REAL WOOD	O273	O462	O352								
MO.REI WATER RESISTANT FLOORING	LONG PLANK 12	K659	K657	K326	K662	K664	K851						
	ATLANTIC 12	K845	K843	K726	K285	K476	K287						
	ATLANTIC 10	K413	K665	K667	K669	K478	K852	K854	K853	K476	5947	5537	8155
	HERRINGBONE 8	K844	K847	K326	K843	K850	5947	K848	K488	K849	K023		
	LONG PLANK 8	K844	K847	K843	K850	K848	K849						
	ATLANTIC 8	K640	K451	K653	K469	K453	K326	K856	K2737	K844	K847	K843	K788
	ATLANTIC 7	K655	K652	K629	K654	K638	K649	K647	K650				
LAMINATE FLOORING	SUPER NATURAL	K418	5946	5966	K057	K625	K419	5985	K338	8573	8575	K468	K635

\*1 24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, [www.kronospan.com/en\\_EN/100hours-test/](http://www.kronospan.com/en_EN/100hours-test/), up to 100 h no leakage based on ISO 4760:2022-05. This does not apply to Herringbone products.  
 \*2 24 h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, [www.kronospan.com/en\\_EN/floor-with-more/](http://www.kronospan.com/en_EN/floor-with-more/)  
 \*3 According to warranty terms  
 \*4 Selected Decors  
 \*5 Class 34, EN 16511  
 \*6 Class 32, EN 14354



See all this  
and more at  
**krono-original.com**

## Vinyl Flooring

A solid step up

Rocko Technology is an advanced innovation that combines a high-density mineral core (over 70% natural stone powder) with special components to create an ultra-rigid, waterproof, and dimensionally stable material.

It is the perfect waterproof foundation for residential and commercial environments, heavy foot traffic spaces and quick renovations.

# DESIGNED TO ENDURE

Remarkably realistic visuals bring the timeless elegance of natural materials into your home.

From contemporary homes to high-traffic commercial spaces, Rocko® flooring is engineered to perform. With superior moisture protection and dimensional stability, our floors are ideal for any room, including kitchens and bathrooms. Easy to install and effortless to maintain, they offer the perfect blend of functionality and elegance.



R238 Dune Allegra Oak, SE

# SENSO TOUCH

## Embossed-in-Register Vinyl

# SYNCHRONIZED TO PERFECTION

Our pioneering Embossed-in-Register vinyl flooring is where beauty and performance move in perfect harmony.

Engineered for ultimate rigidity and durability, our SPC core delivers exceptional stability underfoot, ensuring your floors stand the test of time in even the busiest spaces.

Every detail is captured to perfection thanks to the Embossed-in-Register texture that seamlessly follows the grain of the wood.

The result? A look and feel that's stunningly realistic.

This symbol highlights all SensoTouch decors

**SENSO TOUCH**



R246 Cadenza Walnut, SE



R242 Natural Willamette Hickory, SE

## Appearance of natural wood

Rocko Flooring designs are digitally printed, reflecting the smallest detail and the rich grain of wood.



R244 Blond Newport Oak, SE

## Ensured stability

Rocko Flooring range is set apart from other types of vinyl flooring by its unique resilient core, which provides an incredibly stable base for each flooring plank and ensures dimensional stability, even with high temperature fluctuations.




Waterproof and suitable for bathrooms, kitchens, hallways, and public spaces



Rigid Vinyl core for improved strength and 1 clic 2go pure installation



Stable under temperature changes, ideal for heated floors or sunny rooms



Designs that match your style and ideas



Low-maintenance and easy to clean





Perfect for renovation thanks to reduced subfloor preparation needs

# LONG PLANK SILENT




with PerfectPad® IXPE 1 mm



new

R236  
Seashell Regis Oak, SE

**SENSOTOUCH**



new

R241  
Natural Cortona Oak, SE

**SENSOTOUCH**



new

R244  
Blond Newport Oak, SE

**SENSOTOUCH**

Format: 1850 x 295 mm | 72.83" x 11.61"  
 Thickness: 6 mm  
 Lock: 1cllic 2go pure



EN 16511



R236 Seashell Regis Oak, SE

# LONG PLANK SILENT



with PerfectPad® IXPE 1 mm



R243  
Smoked Luna Walnut, SE

new

SENSOTOUCH



Format:  
1850 x 295 mm | 72.83" x 11.61"

Thickness:  
6 mm




R243 Smoked Luna Walnut, SE

# HERRINGBONE SILENT



with PerfectPad® IXPE 1 mm



Format:  
635 x 127 mm | 25.00" x 5.00"

Thickness:  
6 mm

Lock:  
Fold Down

**ROCKO**  
TECHNOLOGY

EN 16511




K805 Gold Highgate Oak, HT

# HERRINGBONE SILENT



with PerfectPad® IXPE 1 mm




**K800**  
Greige Montanara Oak, MR

new



**K803**  
Tobacco Montanara Oak, MR

new



**K801**  
Steel Montanara Oak, MR

new



**K803** Tobacco Montanara Oak, MR

Format:  
**635 x 127 mm** | 25.00" x 5.00"

Thickness:  
**6 mm**



ROCKO VINYL FLOORING

# WIDE PLANK SILENT



with PerfectPad® IXPE 1 mm



new

**R248**  
Pebble Richelieu Oak, MW



new

**R245**  
Ash Newport Oak, SE

**SENSOTOUCH**



new

**R235**  
Honey Regis Oak, SE

**SENSOTOUCH**

Format:  
**1210 x 234 mm** | 47.64" x 9.21"

Thickness:  
**6 mm**

Lock:  
**1 clic 2 go pure**

**ROCKO**  
TECHNOLOGY

\* selected decors

EN 16511




**R248** Pebble Richelieu Oak, MW

# WIDE PLANK SILENT




with PerfectPad® IXPE 1 mm



R232  
Straw Villa Rica Oak, FN

new



R242  
Natural Willamette Hickory, SE

new


**SENSOTOUCH**



R066  
Sculpta, HS




R232 Straw Villa Rica Oak, FN



R240  
Pure Cortona Oak, SE


new

**SENSOTOUCH**



R231  
Cookie Villa Rica Oak, FN

new



R247  
Golden Richelieu Oak, MW

new



Format:  
1210 x 234 mm | 47.64" x 9.21"

Thickness:  
6 mm

# WIDE PLANK SILENT



with PerfectPad® IXPE 1 mm



R233 Caramel Regis Oak, SE

Format:  
1210 x 234 mm | 47.64" x 9.21"

Thickness:  
6 mm



# STANDARD PLANK SILENT



with PerfectPad® IXPE 1 mm



Format:  
1210 x 192 mm | 47.64" x 7.56"


Thickness:  
6 mm

Lock:  
1 clic 2go pure


**ROCKO**  
TECHNOLOGY

\* selected decors

EN 16511




R078  
Airflow, HS



new

R250  
Linen Cortado Oak, MW



new

R251  
Sand Mesa Oak, MW

R250 Linen Cortado Oak, MW






# STANDARD PLANK SILENT



with PerfectPad® IXPE 1 mm

Format:  
1210 x 192 mm | 47.64" x 7.56"

Thickness:  
6 mm



## Waterproof Wood Flooring

# THE FLOOR THAT COMBINES THE BEST



### ENVIRONMENTALLY FRIENDLY CORE

organic chemical binders and sustainably sourced wood

K854 Sand Ribera Oak, RR

### ADVANCED WATERPROOF PERFORMANCE

technologically enhanced traditional self-sealing wood properties

### FAST INSTALLATION & EASY CARE

### INDIVIDUALITY THROUGH DESIGN

a wide variety of plank formats and thicknesses

### ROBUST SURFACE

# Waterproof Wood-Based Flooring

O.R.C.A. (Organic<sup>1</sup> Rigid Coreboard Abrasion-proof Flooring) brings together the natural beauty of wood with advanced waterproofing performance.

It is made exclusively from timber, sourced in sustainably managed forests. Free from PVC<sup>3</sup> and made with organic chemical binders. Our floors store biogenic CO<sub>2</sub> during their lifetime.

Inspired by traditional wooden barrels and boats, O.R.C.A. flooring uses wood's natural self-sealing properties to resist moisture for up to 100 hours<sup>2</sup>. This quality makes it suitable for bathrooms, hallways, kitchens, and even high-traffic public spaces.

Each one of its wood fibers is individually encapsulated in a special moisture-repellent binder, reducing water absorption and ensuring long-lasting dimensional stability.

O.R.C.A.<sup>®</sup> comes in a variety of formats, thicknesses, and plank sizes, offering total design freedom while meeting the technical needs of each space.

Life Happens. O.R.C.A. Stays.  
 Don't let a spill ruin your day, or your floor.  
 Equipped with the revolutionary O.R.C.A. Moisture Defense Technology, our flooring is engineered to handle life's little accidents with ease.

Whether it's a major mishap with 100 hours of full water load protection, or the daily challenges of a busy home, tested for 1 hour of water exposure every single day for 100 days, O.R.C.A. stands resilient. Combining the beauty of organic materials with the endurance of a waterproof surface, it's the ultimate worry-free solution for your kitchen, bathroom, and beyond.



**K501** Sand River Oak, TN

## THE FLOOR THAT'S NOT AFRAID OF WATER

100h+ surface water protection guaranteed<sup>\*2</sup>

Little accidents occur almost daily.  
 Our O.R.C.A. floors can withstand them.



<sup>\*1</sup> Consists of natural wood and an organic chemical binder  
<sup>\*2</sup> 24h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100h+ surface water protection according to works standard specification KRONOSPAN WN-101, [www.kronospan.com/en\\_EN/100hours-test/](http://www.kronospan.com/en_EN/100hours-test/), up to 100h no leakage based on ISO 4760:2022-05  
<sup>\*3</sup> May contain traces of PVC, e.g. from packaging



**DURASTAR  
SILENT CORK**

**UNMATCHED  
DURABILITY.  
STAR-LIKE  
PERFORMANCE.**

DURASTAR SILENT CORK brings together the very best of Kronospan's innovations and craftsmanship. Featuring nature-inspired decors, realistic tactile textures, and our most advanced waterproof technology O.R.C.A. The collection achieves the highest utilization class AC6.

Walk on floors built with style for comfort and durability that you can trust in the moments that matter the most.



K852

# DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm



Format:  
1288 x 245 mm | 50.71" x 9.65"

Thickness:  
13 mm

Lock:  
1 clic 2go pure+

O.R.C.A.®

WATER DEFENSE TECHNOLOGY

\* selected decors

EN 13329




K844 Cream Darcy Oak, DY



new

K844  
Cream Darcy Oak, DY



new

K854  
Sand Ribera Oak, RR



new

K852  
Vintage Ribera Oak, RR



# DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm

**K853**  
Honey Ribera Oak, RR

new



**K853** Honey Ribera Oak, RR

Format:  
**1288 x 245 mm** | 50.71" x 9.65"

Thickness:  
**13 mm**



# DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm

## Eden Cafe



Format:  
630 x 126 mm | 24.80" x 4.96"

Thickness:  
9 mm

Lock:  
Fold Down



EN 13329



K847 Blonde Montanara Oak, MR

new

K847  
Blonde Montanara Oak, MR



new

K843  
Natural Darcy Oak, DY



new

K850  
Smoked Montanara Oak, MR



# DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm

**K849**  
Dark Montanara Oak, MR

new



**K849** Dark Montanara Oak, MR

Format:  
**630 x 126 mm** | 24.80" x 4.96"

Thickness:  
**9 mm**



# DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm



Format:  
**1288 x 245 mm** | 50.71" x 9.65"  
**2003 x 245 mm** | 78.86" x 9.65"

Thickness:  
**9 mm**


**K847** Blonde Montanara Oak, MR

Formats:  
**1288 x 245 mm** | 50.71" x 9.65"  
**2003 x 245 mm** | 78.86" x 9.65"

Thickness: **9 mm**  
 Lock: **1clic 2go pure+**



EN 13329



new

**K847**  
 Blonde Montanara Oak, MR



new

**K843**  
 Natural Darcy Oak, DY



new

**K850**  
 Smoked Montanara Oak, MR



# DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm

**K849**  
Dark Montanara Oak, MR

new



**K849** Dark Montanara Oak, MR

Format:  
**1288 x 245 mm** | 50.71" x 9.65"  
**2003 x 245 mm** | 78.86" x 9.65"

Thickness:  
**9 mm**



**FLEX SILENT CORK**  
**Wood n' vinyl**

**THE WARMTH  
OF WOOD.  
THE STRENGTH  
OF VINYL.**

This next generation of flooring takes innovation a step further – our sustainable wood-based O.R.C.A. core delivers advanced water protection, while a resilient vinyl surface ensures complete waterproof strength.

Engineered for everyday living, it offers a cork underlay for whisper-quiet steps and extra thermal insulation, a scratch resistant surface for effortless maintenance, and a 7 mm plank thickness for seamless installation without undercutting the door jamb.

K509

K502

# FLEX SILENT CORK



with PerfectPad® Cork 1 mm

Format:  
1288 x 189 mm | 50.71" x 7.44"

Thickness:  
7 mm



**K500**  
Pearl River Oak, TN



**K503**  
Pebble Manor Oak, TN



**K506**  
Lunar Range Oak, TN

Formats:  
638 x 322 mm | 25.12" x 12.68"  
1288 x 189 mm | 50.71" x 7.44"

Thickness:  
7 mm

Lock:  
1clic 2go pure+



EN 16511

- 23 (Icon: House)
- 34 (Icon: Building)
- TITANIUM ULTRA (Icon: Stars)
- 30 YEARS (Icon: Clock)
- 4 (Icon: Checkmark)
- (Icon: Scratch)
- (Icon: Sun)
- (Icon: Paw)
- (Icon: Hand)
- KG (Icon: Weight)
- (Icon: Foot)
- (Icon: Leaf)



**K500** Pearl River Oak, TN



# FLEX SILENT CORK



with PerfectPad® Cork 1 mm

Format:  
1288 x 189 mm | 50.71" x 7.44"

Thickness:  
7 mm



**K501** Sand River Oak, TN

# FLEX SILENT CORK



with PerfectPad® Cork 1 mm


**K508**  
Brooklyn Mist, US



**K509**  
Brooklyn Vibe, US



**K510**  
Brooklyn Dark, US



**K509** Brooklyn Vibe, US

Format:  
**638 x 322 mm** | 25.12" x 12.68"


Thickness:  
**7 mm**



# CLASSIC SILENT CORK



with PerfectPad® Cork 1 mm



**O980**  
Natural Red Oak, HG



**O771**  
Pacific Cherry, HG




Format:  
**1383 x 159 mm** | 54.45" x 6.26"

Thickness:  
**8.5 mm**

Lock:  
**Angle Tap**



EN 13329



**O980** Natural Red Oak, HG


# CLASSIC SILENT ECO



with PerfectPad® Eco 1 mm

Format:  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
9 mm



**K668**  
Mist Ethereal Oak, ET



**K406**  
Eurus Oak, NL



**K405**  
Solar Oak, NL


Formats:  
1286 x 192 mm | 50.63" x 7.56"  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
8.5 | 9 mm

Lock:  
Angle Tap  
1 clic 2go pure+

**O.R.C.A.**<sup>®</sup>  
WATER DEFENSE TECHNOLOGY  
\* selected decors

EN 13329






**K406** Eurus Oak, NL

# CLASSIC SILENT ECO



with PerfectPad® Eco 1 mm



Format:  
**1288 x 195 mm | 50.71" x 7.68"**




Thickness:  
**9 mm**

5947 Historic Oak, HO

# CLASSIC SILENT ECO




with PerfectPad® Eco 1 mm



Format:  
**1286 x 192 mm** | 50.63" x 7.56"

Thickness:  
**8.5 mm**



**K2971** Avola Sarocco Oak, SC

**CLASSIC**



Format:  
**1288 x 195 mm | 50.71" x 7.68"**

Thickness:  
**8 mm**




Formats:  
**638 x 330 mm | 25.12" x 12.99"**  
**1288 x 195 mm | 50.71" x 7.68"**

Thickness:  
**8 mm**      Lock:  
**1 clic 2go pure+**


**O.R.C.A.®**  
WATER DEFENSE TECHNOLOGY

\* selected decors

EN 13329



**K231**  
Misty Plains Oak, TO



**K669**  
Rope Ethereal Oak, ET



**K406**  
Eurus Oak, NL






**K669** Rope Ethereal Oak, ET



# CLASSIC



Format:  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
8 mm





Format:  
**638 x 330 mm** | 25.12" x 12.99"

Thickness:  
**8 mm**



# COMFORT SILENT CORK



with PerfectPad® Cork 1 mm




Format:  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
8 mm


Lock:  
1clíc 2go pure+

**O.R.C.A.**<sup>®</sup>  
WATER DEFENSE TECHNOLOGY

EN 13329



**5953**  
Chantilly Oak, RO



**K453**  
Biscotti Oak, RO



**K445**  
Ethereal Oak, TO



**K453** Biscotti Oak, RO

# COMFORT SILENT CORK



with PerfectPad® Cork 1 mm


**K224**  
Wild West Oak, TO



**K329**  
Buckingham Oak, RO



**K489**  
Bourbon Hills Oak, NL



K224 Wild West Oak, TO

Format:  
1288 x 195 mm | 50.71" x 7.44"

Thickness:  
8 mm



# CLEVER SILENT ECO



with PerfectPad® Eco 1 mm



Format:  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
7 mm


Lock:  
1cllic 2go pure+




EN 13329




K063 Organic Oak, TO



K063  
Organic Oak, TO



K452  
Ashland Oak, HO





**new**  
K853  
Honey Ribera Oak, RR



# CLEVER SILENT ECO



with PerfectPad® Eco 1 mm



Format:  
**1288 x 195 mm | 50.71" x 7.68"**

Thickness:  
**7 mm**



**K489** Bourbon Hills Oak, HO

**Moisture  
Resistant  
Flooring**

**MO.RE! CAN  
STAND UP TO  
WHAT LIFE  
BRINGS**



K285 Haybridge Oak, HO



mo.re! is based on a specially developed substrate formula. Its new binding agent makes the flooring more durable and decreases swelling - improving resistance to moisture penetration.

**A.B.C. ANTIBACTERIAL\*\*  
COMFORT**

**LONG-LASTING COLOR,  
UV PROTECTION**

**WATER  
RESISTANT\***

**PROTECTION AGAINST  
MICRO SCRATCHES**

**PVC FREE\*\*\***

\* 24h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WIN-103, [www.kronospan.com/en\\_EN/floor-with-more/](http://www.kronospan.com/en_EN/floor-with-more/)

\*\* Tested germs: Staphylococcus aureus

\*\*\* May contain traces of PVC, e.g. from packaging

## Real Wood

**REAL WOOD  
SURFACE WITH MO.RE!  
INNOVATIVE MOISTURE  
RESISTANT CORE**


**BEAUTY AND  
ELEGANCE IN ONE**

**SOFT BEVEL EDGES  
THAT MATCH AND  
ENHANCE THE FLOOR'S  
NATURAL WARMTH**



O352 Roast Oak, LU

# REAL WOOD



Format:  
1383 x 244 mm | 54.45" x 9.61"

Thickness:  
8.5 mm

Lock:  
Angle Tap




EN 14354

- 23
- 32
- TITANIUM ULTRA ★★★★★
- 20 YEARS
- 
- 
- 




O273 Bradford Oak, LU



O273  
Bradford Oak, LU



O462  
Schönbrunn Oak, LU



O352  
Roast Oak, LU



MO.REI WATER RESISTANT FLOORING

# LONG PLANK 12




Format:  
2003 x 245 mm | 78.86" x 9.65"

Thickness:  
12 mm



Lock:  
1 clic 2 go pure+



EN 13329



K326 Sundace Oak, RO



# LONG PLANK 12



**K662**  
Sepia Tegernsee Oak, TG



**K664**  
Hare Tegernsee Oak, TG



**K851**  
Ferry Oak, MW

new



Format: **2003 x 245 mm** | 78.68" x 9.65"  
Thickness: **12 mm**



**K664** Hare Tegernsee Oak, TG

# ATLANTIC 12




Format:  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
12 mm




Lock:  
1clic 2go pure+



EN 13329



K845 Hay Darcy Oak, DY




MO.REI WATER RESISTANT FLOORING

# ATLANTIC 12



**K726**  
Honey Ethereal Oak, ET



**K476**  
Inca Carpenter Oak, CM



**K287**  
Steelworks Oak, HO




Format: 1288 x 195 mm | 50.71" x 7.68"  
Thickness: 12 mm



**K476** Inca Carpenter Oak, CM

# ATLANTIC 10




Format:  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
10 mm


Lock:  
1cllic 2go pure+

**m.re!**  
moisture resistance technology  
\* selected decors


EN 13329



K852 Vintage Ribera Oak, RR



K667  
Alpacas Ethereal Oak, ET



K669  
Rope Ethereal Oak, ET



new






K852  
Vintage Ribera Oak, RR



# ATLANTIC 10







Format: 1288 x 195 mm | 50.71" x 7.68"  
Thickness: 10 mm



# ATLANTIC 10



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 10 mm



K479 Espresso Carpenter Oak, CM

# HERRINGBONE 8






Format:  
630 x 126 mm | 24.80" x 4.96"

Thickness:  
8 mm

Lock:  
Fold Down



EN 13329



K326 Sundance Oak, RO

# HERRINGBONE 8



**K843**  
Natural Darcy Oak, DY

new



**K850**  
Smoked Montanara Oak, MR

new



**K848**  
Aged Montanara Oak, MR

new



Format:  
**630 x 126 mm** | 24.80" x 4.96"

Thickness:  
**8 mm**

**K488**  
Rutherford Oak, CM



**5947**  
Historic Oak, HO



**K849**  
Dark Montanara Oak, MR

new



**K488** Rutherford Oak, HO

# HERRINGBONE 8



K023  
Venato, SU



Format: 630 x 126 mm | 24.80" x 4.96" Thickness: 8 mm



K023 Venato, SU

# LONG PLANK 8




Format:  
203 x 245 mm | 78.86" x 9.65"

Thickness:  
8 mm


Lock:  
1cllic 2go pure+



EN 13329



**K844**  
Cream Darcy Oak, DY






**K847**  
Blonde Montanara Oak, MR



**K843**  
Natural Darcy Oak, DY

**K847** Blonde Montanara Oak, MR

# LONG PLANK 8




Format: **2003 x 245 mm** | 78.86" x 9.65" Thickness: **8 mm**



# ATLANTIC 8



Format: **1288 x 195 mm** | 50.71" x 7.68" Thickness: **8 mm**



Formats:  
**638 x 330 mm** | 25.12" x 12.99"  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness: **8 mm** Lock: **1 clic 2 go pure+**



EN 13329

- 23
- 32
- AC4
- 20 YEARS
- 4
- Water resistant
- UV resistant
- Pet resistant
- Scratch resistant
- Stain resistant
- Impact resistant



**K640**  
Cotton Greenvale Oak, MW



**K451**  
Silverdale Oak, HO



**K653**  
Ecrú Cantal Oak, MW



**K653** Ecrú Cantal Oak, MW

# ATLANTIC 8



**K469**  
Tortilla Cashmere Oak, NL



**K453**  
Biscotti Oak, HO



**K326**  
Sundance Oak, RO



**K469** Tortilla Cashmere Oak, NL

Format: **1288 x 195 mm** | 50.71" x 7.68" Thickness: **8 mm**

new

**K844**  
Cream Darcy Oak, DY



new

**K856**  
Greige Palais Oak, MW



new







**K2737**  
Cotta Cremona Oak, MW



# ATLANTIC 8






Format: 1288 x 195 mm | 50.71" x 7.68"  
Thickness: 8 mm





**K2738** Torro Cremona Oak, MW

# ATLANTIC 8



**K857** Grey Palais Oak, MW



# ATLANTIC 8



**K849**  
Dark Montanara Oak, MR

new



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 8 mm





**K849** Dark Montanara Oak, MR

# ATLANTIC 8



Format:  
**638 x 330 mm** | 25.12" x 12.99"



Thickness:  
**8 mm**



# ATLANTIC 7



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 7 mm




Formats: 1288 x 245 mm | 50.71" x 9.65"  
1288 x 195 mm | 50.71" x 7.68"

Thickness: 7 mm

Lock: 1cllic 2go pure+



EN 13329



**K652** Cashmere Montreux Oak, MW

# ATLANTIC 7



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 7 mm



# ATLANTIC 7



**K655** Dove Cantal Oak, MW

Format: **1288 x 245 mm** | 50.71" x 9.65" Thickness: **7 mm**





# Laminate Flooring

with  
Optimized Wood  
Fiber Technology

# FAVOURITE FOR EVERYDAY LIVING



Time on Your Side:  
Protection against standing water.

**AUTHENTIC LOOK  
AND FEEL**

**LIGHT  
RESISTANT**



**DIY-FRIENDLY  
INSTALLATION**

**HYGIENIC\* AND  
EASY-TO-CLEAN SURFACE**


\* Tested germs: Staphylococcus aureus

**UTILIZATION  
CLASS 32**



K625 Wheat Pistachio Oak, MW

# SUPER NATURAL 8



Format:  
1288 x 195 mm | 50.71" x 7.68"

Thickness:  
8 mm

Lock:  
1clic 2go pure+



EN 13329



5966 Khaki Oak, NL



K418  
Longbow Oak, GT




5946  
Rockford Oak, NL



5966  
Khaki Oak, NL

# SUPER NATURAL 8

Format: 1288 x 195 mm | 50.71" x 7.68"  
Thickness: 8 mm



# SUPER NATURAL 8

**8575**  
Blonde Oak, LP



**K468**  
Gondola Oak, GT

**K635**  
Fawn Apollo Oak, MW



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 8 mm



**K468** Gondola Oak, GT



K543 Sand Barbera Oak, SN

# WALLS

# Acoustic Panels


# YOUR SPACE, YOUR SOUND, PERFECTED

## Creative Freedom

Acoustic panels allow you to quickly and effectively create elevated contemporary interior spaces.

## Exclusive Design

An exclusive appearance, expressed through refined aesthetics and elegance.



K543 Sand Barbara Oak, SN



K688 Natural Canella Oak, PW



K547 Tobacco Franklin Walnut, RW



K543 Sand Barbera Oak, SN

Think.  
Create.  
Innovate.


Format: **2600 x 600 mm** | 102.36" x 23.62" Thickness: **17 mm**

 ACOUSTIC ABSORBER


 INVISIBLE TRANSITION

 STAIN RESISTANT

 THERMAL INSULATION

 EASY TO MAINTAIN

 UV STABILITY



**K543**  
Sand Barbera Oak, SN

Surface: Authentic Wood Texture  
Slats: MDF Deep Black (9 mm)  
Base: Black Polyester (8 mm)



**K688**  
Natural Canella Oak, PW

Surface: Authentic Wood Texture  
Slats: MDF Natural (9 mm)  
Base: Black Polyester (8 mm)



**K547**  
Tobacco Franklin Walnut, RW

Surface: Authentic Wood Texture  
Slats: MDF Deep Black (9 mm)  
Base: Black Polyester (8 mm)

## Kronowall 3D Panels

# WALLS WORTH SHOWING OFF

When it comes to adding style and character to your spaces, our 3D wall panels are the easy choice to make. Their smart mounting system ensures quick, precise, and hassle-free installation. Each panel is 12 mm thick with a durable, easy-to-clean and maintain surface for long-lasting beauty.



K284 Breeze Oak, RO



**K326** Sundance Oak, RO

Format: **1296 x 132 mm** | 51.02" x 5.20"  
Thickness: **12 mm**




LIGHTFAST SURFACE



EASY TO CLEAN



HEAT RESISTANT



AUTHENTIC EMBOSSED



**8630**  
Aspen Oak, LP



**K284**  
Seabreeze Oak, RO



**K326**  
Sundance Oak, RO




## WALL & CEILING PANELS

# EASY STYLE FOR EVERY WALL

**Fast and easy  
installation due to  
the click connection**

**Variable longitudinal  
joint design**

**Suitable for humid  
areas**



**Perfect connection with self-locking  
tongue & groove profile on the short side**



9077 Edelweiss Pore


Format: **2000 x 202 mm** | 78.74" x 7.95" Thickness: **10 mm**

9002  
White Uni

9077  
Edelweiss Pore


Format:  
**1300 x 202 mm** | 51.18" x 7.95"  
**2000 x 202 mm** | 78.74" x 7.95"  
**2600 x 202 mm** | 102.36" x 7.95"  
Thickness:  
**10 mm**

 LIGHTFAST SURFACE

 EASY TO CLEAN

 SUITABLE FOR BATHROOMS

# WALL & CEILING PANELS



Format: **1300 x 202 mm** | 51.18" x 7.95" Thickness: **10 mm**  
**2600 x 202 mm** | 102.36" x 7.95"



## Accessories that match your floor perfectly

### Selected range of products

Every floor needs proper accessories. We supply you with the ideal equipment for all types of flooring. One contact, one supplier – making everything so much simpler for you.

### Underlays


Depending on the situation in the room, attention must be paid to the correct underlay material when installing the flooring. For this we offer multiple solutions.

### Skirting boards

Choose from a range of skirtings in various decors that match all KronoOriginal<sup>®</sup> floors. Our advanced fixing system makes it quick and simple to achieve a perfect installation.

### Additional accessories

If you still look for the proper skirting board, corner pieces, aluminium adhesive tape for sealing or you are done and wish to mop the floor, take a look at the following pages and discover the wide range of accessories.



## All under one roof








**Our guidance system shows the matching products for different types of floor.**

- REAL WOOD** REAL WOOD  
Height: 8.5 mm
- VINYL Flooring** Vinyl flooring:  
Height: 6 mm, including silent pad
- O.R.C.A. Flooring** O.R.C.A. flooring:  
Height: 7, 8, 8.5, 9, 13 mm, organic rigid coreboard
- MO.RE! Flooring** MO.RE! flooring:  
Height: 7, 8, 10 and 12 mm
- Laminate Flooring** Laminate flooring:  
Height: 8 mm








## Underlays

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Underlay PUR 1.0		98535 [EX PUR1.0_ORCA] 98535 [EX PUR1.0_SPC]	Material: PET film + polyurethane heavy-duty layer + non-woven material	1 x 10 m = 10 m <sup>2</sup>	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay PUR 2.0		98571 [EX KO98571N]	Material: Polyurethan and mineral fillers	1 x 7.5 m = 7.5 m <sup>2</sup>	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay WOOD 5.0		90171 [EX 90171.]	Material: Wood fibres	0.79x0.59m x 15 = 7 m <sup>2</sup>	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay XPS 5.0		98536 [EX XPS5.0]	Material: Extruded polystyrene	1.18 x 4.7 m = 5.5 m <sup>2</sup>	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay XPS 2.2 ALU		98515 [EX XPS2.2ALU]	Material: HFPS-foam & moisture protection foil	1.2 x 12.5 m = 15 m <sup>2</sup>	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
PE foil		98111 [EX FOLIE2.0]	Material: Polyethylene	2 x 7.5 m = 15 m <sup>2</sup>	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Aluminium tape		98191 [EX ALUBAND]	Thickness: 0.048 mm Width: 50 mm	1 roll (50 m)	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring








# Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
K58C skirting board		91061 [EX xxxxSLH]	2600 x 58 x 18 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
K58C skirting board moisture resistant		97345 [EX SK58C-xxxx]	2400 x 58 x 18 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
K58C skirting board for floors with O.R.C.A. (Water Defense Technology)		95316 [EX xxxxSLH-ORCA]	2600 x 58 x 18 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95951 [EX 9002DS19_100]	2600 x 100 x 17 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95481 [EX 9002DS19_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95491 [EX 9002DS19_58]	2600 x 58 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Shaped skirting board		95981 [EX 9002DS17_100]	2600 x 100 x 17 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring






# Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Shaped skirting board		95991 [EX 9002DS17_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Shaped skirting board		95471 [EX 9002DS17_58]	2600 x 58 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96001 [EX 9002DS15_100]	2600 x 100 x 15 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96021 [EX 9002DS16_90]	2600 x 90 x 16 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96011 [EX 9002DS15_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Accessories for K58C skirting board		98011 98001 98021	External corners Internal corners End caps	90° in packs of 2 90° in packs of 2 in packs of 4, 2 left and 2 right	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Mounting clips		91501 [EX 50510]	-	Box of 30 pieces, complete with screws and rawl plugs	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring

# Profile systems

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Design click transition profile, 2-part		95112 95113	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Design click ramp profile, 2-part		95122 95123	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Design click end profile, 2-part		95132 95133	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Transition click profile		98391 98381	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Ramp click profile		98411 98401	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
End click profile		98371 98361	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
3in1 profiles		95315 [EX 95315-A002] anodised stainless steel	1000 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring

# Additional accessories


Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Tap-block		90274 [EX SCHLAGKLOTZ]	168/90 x 70 x 20 mm	20 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Clickguard™ joint sealant		90431 [EX 94270]	-	125 ml ≈ ca. 10 m²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Laminate cleaner		90411 [EX 92011]	-	1000 ml	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Design floor cleaner		97554 [EX DESIGNBODEN_ REINIGER]	-	750 ml	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Cleaner for floors with O.R.C.A. (Moisture Defense Technology)		90411 [EX REINIGER_ORCA]	-	750 ml	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring

# Packaging information

Flooring Type	Collection Name	Plank Size	Thickness	Planks/ Pack.	m <sup>2</sup>   sq ft/Pack.	Weight/Pack. [kg   lbs]	Pack./Pallet = m <sup>2</sup>   sq ft
ROCKO VINYL FLOORING	<b>LONG PLANK SILENT</b>	1850 x 295 mm   72.83" x 11.61"	6 mm	4 planks	2.18 m <sup>2</sup>   23.50 sqft.	22.1 kgs   48.74 lbs	45 pack. = 98.24 m <sup>2</sup>   1057 sqft.
	<b>HERRINGBONE SILENT</b>	635 x 127 mm   25.00" x 5.00"	6 mm	20 planks	1.61 m <sup>2</sup>   17.36 sqft.	17.60 kgs   38.80 lbs	48 pack. = 77.42 m <sup>2</sup>   833 sqft.
	<b>WIDE PLANK SILENT</b>	1210 x 234 mm   47.64" x 9.21"	6 mm	6 planks	1.70 m <sup>2</sup>   18.29 sqft.	16.91 kgs   37.28 lbs	48 pack. = 81.54 m <sup>2</sup>   878 sqft.
	<b>STANDARD PLANK SILENT</b>	1210 x 192 mm   47.64" x 7.56"	6 mm	7 planks	1.63 m <sup>2</sup>   17.50 sqft.	15.88 kgs   35.01 lbs	60 pack. = 97.57 m <sup>2</sup>   1050 sqft.
O.R.C.A. WATERPROOF FLOORING	<b>DURASTAR SILENT CORK</b>	1288 x 245 mm   50.71" x 9.65"	13 mm	5 planks	1.58 m <sup>2</sup>   16.98 sqft.	5.83 kgs   12.85 lbs	39 pack. = 61.53 m <sup>2</sup>   662 sqft.
		630 x 126 mm   24.80" x 4.96"	9 mm	10 planks	0.79 m <sup>2</sup>   8.54 sqft.		96 pack. = 76.20 m <sup>2</sup>   820 sqft.
		2003 x 245 mm   78.86" x 9.65"	9 mm	6 planks	2.94 m <sup>2</sup>   31.69 sqft.		36 pack. = 106.00 m <sup>2</sup>   1141 sqft.
		1288 x 245 mm   50.71" x 9.65"	9 mm	8 planks	2.52 m <sup>2</sup>   27.17 sqft.		32 pack. = 98.45 m <sup>2</sup>   1060 sqft.
	<b>FLEX SILENT CORK</b>	638 x 322 mm   25.12" x 12.68"	7 mm	12 planks	2.47 m <sup>2</sup>   26.54 sqft.	15.97 kgs   35.21 lbs	32 pack. = 78.89 m <sup>2</sup>   849 sqft.
		1288 x 189 mm   50.71" x 7.44"		10 planks	2.43 m <sup>2</sup>   26.20 sqft.	15.71 kgs   34.63 lbs	52 pack. = 126.58 m <sup>2</sup>   1363 sqft.
	<b>CLASSIC SILENT ECO/CORK</b>	1286 x 192 mm   50.63" x 7.56" ECO	8.5 mm	9 planks	2.22 m <sup>2</sup>   23.92 sqft.	15.70 kgs   34.61 lbs	48 pack. = 106.67 m <sup>2</sup>   1148 sqft.
		1288 x 195 mm   50.71" x 7.68" ECO	9 mm	8 planks	2.01 m <sup>2</sup>   21.63 sqft.	13.62 kgs   30.03 lbs	52 pack. = 104.48 m <sup>2</sup>   1125 sqft.
		1383 x 159 mm   54.45" x 6.26" Cork	8.5 mm	11 planks	2.42 m <sup>2</sup>   26.04 sqft.	16.22 kgs   35.75 lbs	45 pack. = 108.85 m <sup>2</sup>   1172 sqft.
	<b>CLASSIC</b>	638 x 330mm   25.12" x 12.99"	8 mm	11 planks	2.32 m <sup>2</sup>   24.93 sqft.	17.16 kgs   37.83 lbs	32 pack. = 74.11 m <sup>2</sup>   798 sqft.
1288 x 195 mm   50.71" x 7.68"		9 planks		2.26 m <sup>2</sup>   24.33 sqft.	16.50 kgs   36.38 lbs	52 pack. = 117.54 m <sup>2</sup>   1265 sqft.	
<b>COMFORT SILENT CORK</b>	1288 x 195 mm   50.71" x 7.68"	8 mm	9 planks	2.26 m <sup>2</sup>   24.33 sqft.	16.41 kgs   36.18 lbs	32 pack. = 72.33 m <sup>2</sup>   779 sqft.	
<b>CLEVER SILENT ECO</b>	1288 x 195 mm   50.71" x 7.68"	7 mm	9 planks	2.26 m <sup>2</sup>   24.33 sqft.	14.38 kgs   31.70 lbs	52 pack. = 117.54 m <sup>2</sup>   1265 sqft.	
REAL WOOD FLOOR- ING	<b>REAL WOOD</b>	1383 x 244 mm   54.45" x 9.61"	8.5 mm	7 planks	2.36 m <sup>2</sup>   25.43 sqft.	16.11 kgs   35.52 lbs	45 pack. = 106.30 m <sup>2</sup>   1144 sqft.
MO.REI WATER RESISTANT FLOORING	<b>LONG PLANK 12</b>	2003 x 245 mm   78.86" x 9.65"	12 mm	4 planks	1.96 m <sup>2</sup>   21.13 sqft.	19.80 kgs   43.65 lbs	36 pack. = 70.67 m <sup>2</sup>   761 sqft.
	<b>ATLANTIC 12</b>	1288 x 195 mm   50.71" x 7.68"	12 mm	6 planks	1.51 m <sup>2</sup>   16.22 sqft.	15.35 kgs   33.84 lbs	52 pack. = 78.36 m <sup>2</sup>   843 sqft.
	<b>ATLANTIC 10</b>	1288 x 195 mm   50.71" x 7.68"	10 mm	7 planks	1.76 m <sup>2</sup>   18.92 sqft.	14.77 kgs   32.56 lbs	52 pack. = 91.42 m <sup>2</sup>   984 sqft.
	<b>HERRINGBONE 8</b>	630 x 126 mm   24.80" x 4.96"	8 mm	11 planks	0.87 m <sup>2</sup>   9.40 sqft.	5.98 kgs   13.18 lbs	96 pack. = 83.83 m <sup>2</sup>   902 sqft.
	<b>LONG PLANK 8</b>	2003 x 245 mm   78.86" x 9.65"	8 mm	6 planks	2.94 m <sup>2</sup>   31.69 sqft.	21.75 kgs   47.95 lbs	36 pack. = 106.00 m <sup>2</sup>   1141 sqft.
		1288 x 195 mm   50.71" x 7.68"		9 planks	2.26 m <sup>2</sup>   24.33 sqft.	15.35 kgs   33.84 lbs	52 pack. = 117.54 m <sup>2</sup>   1265 sqft.
	<b>ALTANTIC 8</b>	638 x 330 mm   25.12" x 12.99"	11 planks	2.32 m <sup>2</sup>   24.93 sqft.	15.41 kgs   33.97 lbs	32 pack. = 74.11 m <sup>2</sup>   798 sqft.	
<b>ATLANTIC 7</b>	1288 x 245 mm   50.71" x 9.65"	7 mm	9 planks	2.84 m <sup>2</sup>   30.57 sqft.	16.74 kgs   36.91 lbs	39 pack. = 110.76 m <sup>2</sup>   1192 sqft.	
	1288 x 195 mm   50.71" x 7.68"		10 planks	2.51 m <sup>2</sup>   27.03 sqft.	14.60 kgs   32.19 lbs	52 pack. = 130.60 m <sup>2</sup>   1406 sqft.	
LAMINATE FLOORING	<b>SUPER NATURAL 8</b>	1288 x 195 mm   50.71" x 7.68"	8 mm	9 planks	2.26 m <sup>2</sup>   24.33 sqft.	15.35 kgs   33.84 lbs	52 pack. = 117.54 m <sup>2</sup>   1265 sqft.



K852 Vintage Ribera Oak, RR



Plank Size	630 x 126 mm 24.80" x 4.96"	635 x 127 mm 25.00" x 5.00"	638 x 322 mm 25.12" x 12.68"	638 x 330 mm 25.12" x 12.99"	1210 x 192 mm 47.64" x 7.56"	1210 x 234 mm 47.64" x 9.21"	1286 x 192 mm 50.63" x 7.56"	1288 x 189 mm 50.71" x 7.44"	1288 x 195 mm 50.71" x 7.68"	1288 x 245 mm 50.71" x 9.65"	1383 x 159 mm 54.45" x 6.26"	1383 x 244 mm 54.45" x 9.61"	1850 x 295 mm 72.83" x 11.61"	2003 x 245 mm 78.86" x 9.65"
Collection Name	Durastar Silent Cork Herringbone 8	Herringbone Silent	Flex Silent Cork	Classic Atlantic 8	Standard Plank Silent	Wide Plank Silent	Classic Silent Eco	Flex Silent Cork	Classic, Classic Silent Eco Comfort Silent Cork Clever Silent Eco Atlantic 12   10   8   7 Super Natural 8	Durastar Silent Cork Atlantic 7	Classic Silent Eco	Real Wood	Long Plank Silent	Durastar Silent Cork Long Plank 12   8

## Features guide

### Your benefits at a glance

**30 YEARS**  
Residential guarantee

All floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product.

**4**  
Real groove

Bevelled edges on all four sides of the plank ensure an authentic floorboard look.

**Pressed bevel**

Inspired by traditional craftsmanship, the true-edge-bevels provide a harmonious room appearance.

**Micro bevel**

Micro bevel creates precise plank separation for a smooth and subtle surface.

**Soft bevel**

Soft bevel ensures easy plank joining and clean natural-looking finish.

**KG**  
Robust

This flooring is amazingly robust due to its super durable surface. Moving furniture or falling objects are not a problem because of its high pressure and impact resistance.

**Warm underfoot**

Due to its flexible design layer, the flooring has comfortable haptics and is warm underfoot.

**R10**  
Anti-slip class

Safety is something we put great emphasis on. Classification in anti-slip classes has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present. Classification: R9 and R10 according to DIN 51130 and DIN EN 16165, A and B according to DIN 51097 and DIN EN 16165

**A**  
Anti-slip class

**Soft touch**

The flooring has a soft surface and feels very comfortable.

**Anti bacterial comfort**

A.B.C. Anti Bacterial Comfort inhibits the growth of bacteria on your flooring and provides you with the peace of mind that comes from a healthy home environment. Tested germs: Staphylococcus aureus.

**Authentic embossed**

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.

**Microscratch protect**

The robust surface protects your flooring against microscratches that can be caused by strong mechanical stresses or the claws of house pets.

**Pet-proof**

Thanks to the robust surface, which is also undaunted by small mishaps, the flooring is exceptionally well-suited for life with house pets.

**Light-resistant**

Even on days when the sun is shining for hours, your flooring maintains its color and does not fade. Not suitable for spaces with direct sunlight.

**Silent**

Due to the integrated pad, the flooring reduces impact sound, echoes and vibrations.

**Real wood**

This floor is made from real wood. The high-quality brushed oak surface gives every room natural elegance.

**Anti-static**

The flooring provides complete protection against unpleasant shocks. The Anti-static is built-in and guaranteed for the life of the floor.

**High Gloss**

High Gloss Surface

**Multi Room Concept**

Design available in different plank formats for every space – long plank, herringbone, standard / wide plank

**Perfect Plank**

An innovative technology of digitally printed planks with low pattern repeat.

## SENSOTOUCH

Digital technology for both printing and texturing, creating a perfectly harmonized decor.



## Disclaimer

The information contained in this promotional material is for illustration and informational purposes only and is subject to change. Statements, figures, calculations, plans, images and representations are indicative only. Images may include sketches and computer generated images. The information contained in this material is a guide only and does not constitute an offer, inducement, representation, warranty or contract. Colors used in this promotional material may differ from the colors of products to be supplied. Customers and third parties must have a professional adviser inform them about (the suitability of) products for all desired applications. Although every reasonable effort is made to present current and accurate information, Kronospan accepts no responsibility for the accuracy of any information contained herein or for any action taken in reliance thereon by any party. Kronospan makes no guarantees of any kind. No rights can be derived from the information provided. The use of the information is at the other party's risk and responsibility. Accordingly, any other party should confirm the accuracy and completeness of the information before making any decision related to any services, products or other matters described in this material. All intellectual property rights and other rights regarding the content of this material (including copyright, trademarks, text and photographs) are owned by Kronoplus Limited.



Made by Kronospan



[www.kronospan.com](http://www.kronospan.com)  
[www.krono-original.com](http://www.krono-original.com)

